EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S199	15	"573495"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 16:50
S200	3	"573495".ap.	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:27
S201	4	(shap$2 or string or hair)adj protrusions and ESR	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:30
S202	241	protrusions and ESR	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:38
S203	1501	29/25.03.ccls.	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:41
S204	166829	protrusion and @ad<"20040924"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:41
S205	36	S203 and S204	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:48
S206	25	"4943892"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:50
S207	1	"7202495"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 17:52
S208	9	"4724053"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 18:33
S209	17	feather near4 protrusion	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/11 18:35
S210	37	feather near4 protrusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 18:49
S211	1	feather near4 protrusion (dielectric or insulat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/11 18:49

EAST Search History

S21 2	12657	protrusion (dielectric or insulat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/11 18:49
S21 3	1080	protrusion (dielectric or insulat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/11 18:49
S21 4	871	protrusion (dielectric or insulat$3)and @ad<"20040924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/11 18:50
S21 5	17	protrusion (dielectric or insulat$3)same capacitor and @ad<"20040924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/11 18:52
S21 6	114	protrusion (dielectric or insulat$3)and capacitor and @ad<"20040924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/11 18:52
S21 7	0	feather (dielectric or insulat$3)and capacitor and @ad<"20040924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/11 18:52
S21 8	6	feather (dielectric or insulat$3)and capacitor and @ad<"20040924"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/11 18:52
S21 9	42	"266922"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 15:26
S22 0	0	"266922"	JPO	OR	ON	2007/12/12 15:26
S22 1	6	"266922"	EPO; JPO; DERWENT	OR	ON	2007/12/12 15:30
S22 2	0	matsushita denki sangyo k k	EPO; JPO; DERWENT	ADJ	ON	2007/12/12 15:30
S22 3	154434	matsushita denki sangyo	EPO; JPO; DERWENT	ADJ	ON	2007/12/12 15:32

EAST Search History

S224	0	matsushita denki sangyo	JPO	ADJ	ON	2007/12/12 15:30
S225	0	"1990266922"	EPO; JPO; DERWENT	ADJ	ON	2007/12/12 15:32
S226	0	"199066922"	EPO; JPO; DERWENT	ADJ	ON	2007/12/12 15:47
S227	2	"02069922"	EPO; JPO; DERWENT	ADJ	ON	2007/12/12 15:50
S228	1	"4943892"	EPO; JPO; DERWENT	ADJ	ON	2007/12/12 15:50
S229	26	"4943892"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/12 15:50
S230	27	("3454473" | "3621342" | "4009424" | "4105513" | "4580855" | "4785380" | "4803596").PN. OR ("4943892").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/12 16:45
S231	1	"20070002526"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 17:29
S232	150468	(electlytic$4 or voltage or v or power adj supply) with (protrusions or dot or shape)	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 17:33
S233	153530	(electrolytic$4 or voltage or v or power adj supply) with (protrusions or dot or shape)	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 17:33
S234	153530	(electrolytic$4 or voltage or "v" or power adj supply) with (protrusions or dot or shape)	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 17:33
S235	5017	(voltage or "v" or power adj supply) with (protrusions)	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 17:34
S237	0	(voltage or "v" or power adj supply) with (protrusions)capaciitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 17:35
S238	0	(voltage or "v" or power adj supply) with (protrusions)capaciitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 17:35
S239	39	(voltage or "v" or power adj supply) with (protrusions)capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 17:48
S240	55	(voltage or "v" or power adj supply) with (protrusions)capacitor	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 17:49
S241	11362	(protrusion or needles or pyramids or dots or spots) form$3 (voltage or "v" or power adj supply)	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 17:51

S24 2	276	(protrusion or needles or pyramids or dots or spots) form$3 (voltage or "v" or power adj supply)same capacitor	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 17:54
S24 3	89	(protrusion or needles or pyramids) form$3 (voltage or "v" or power adj supply)same capacitor	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 18:01
S24 4	98582	electrolytic solution with protrusions	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 18:07
S24 5	34	electrolytic solution with protrusions	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 18:01
S24 6	129	electrolytic$4 form$3 with protrusions	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 18:08
S24 7	51	apply$3 near4 (voltage or "v") form$3 with protrusions	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 18:09
S24 8	29	apply$3 near4 (voltage or "v") form$3 with protrusions and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 18:11
S24 9	51	apply$3 near4 (voltage or "v") form$3 with protrusions	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 18:11
S25 0	78	apply$3 near4 (voltage or "v") form$3 with protrusions	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/12 18:17
S25 1	7148	solid electrolytic capacitor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/12 18:18
S25 2	0	solid electrolytic capacitor and @ad<"0031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/12 18:18
S25 3	5298	solid electrolytic capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/12 18:18

S25 5	69	solid electrolytic capacitor and protrusions and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/12 18:29
S25 6	13	("4307507" | "4414023" | "4448485" | "4591717" | "5017007" | "5055145" | "5140393" | "5381753" | "5447878" | "5479106" | "5693208" | "5811917" | "5993715").PN. OR ("6810575").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/12 18:52
S25 7	855434	metal adj oxide protrusions capacitor	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 18:53
S25 8	9	metal adj oxide protrusions capacitor	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:04
S25 9	20	solution electrolytic$4 react$3 protrusions	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:10
S26 0	3	solution electrolytic$4 volts protrusions	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:11
S26 1	181	solution electrolytic$4 volts (protrusions or metal adj oxide or manganese adj oxide)	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:12
S26 2	44	solution electrolytic$4 volts (protrusions or metal adj oxide or manganese adj oxide)and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:18
S26 3	27	("3454473" | "3621342" | "4009424" | "4105513" | "4580855" | "4785380" | "4803596").PN. OR ("4943892").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/12 19:17
S26 4	44	solution electrolytic$4 volts (protrusions or particles)and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:20
S26 5	3	solution electrolytic$4 volts (protrusions or particles)capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:20
S26 6	13	("3054029" | "3320484" | "3320494").PN. OR ("3621342"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/12 19:22
S26 7	0	electrolitically forming (protrusion or particles) dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:23
S26 8	10	electrolytically forming (protrusion or particles) dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:30
S26 9	0	electrolytically molybdate nickel dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:30

EAST Search History

S27 0	1	molybdate nickel dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:31
S27 1	26	molybdate nickel and dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:33
S27 2	1	protrusions molybdate nickel and dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:33
S27 3	4	protrusions and molybdate nickel and dielectric adj layer	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2007/12/12 19:35
S27 4	5	"3984911"	US-PGPUB; USPAT; USOCR; FPRS	OR	ON	2007/12/12 19:41
S27 5	455	reduce esr	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 19:41
S27 6	218	reduce esr and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2007/12/12 19:42
S27 7	12	("5005107" | "5621608" | "5729428" | "5748271" | "5781401" | "6154358" | "6162563" | "6229689").PN. OR ("6343005"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/12 19:48
S27 8	18	("5473503" | "5812367" | "5914852").PN. OR ("6154358"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/12 19:51
S27 9	1027	electrolytic$4 form$3 (protrusions or dimples or depressions)	US-PGPUB; USPAT; USOCR	SAME	ON	2007/12/12 19:52
S28 0	81	electrolytic$4 form$3 (protrusions or dimples or depressions) capacitor	US-PGPUB; USPAT; USOCR	SAME	ON	2007/12/12 19:55
S28 1	0	electrolytic$4 near form$3 near(protrusions or dimples or depressions) capacitor	US-PGPUB; USPAT; USOCR	SAME	ON	2007/12/12 19:55
S28 2	2	electrolytic$4 near(protrusions or dimples or depressions) capacitor	US-PGPUB; USPAT; USOCR	SAME	ON	2007/12/12 19:56
S28 3	55	electrolytic$4 with(protrusions or dimples or depressions) capacitor	US-PGPUB; USPAT; USOCR	SAME	ON	2007/12/12 19:57
S28 4	23	electrolytic$4 with(protrusions or dimples or depressions) capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR	SAME	ON	2007/12/12 19:58
S28 5	91	electrolytic$4 with(protrusions or dimples or depressions) capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:00

S286	3	electrolytic$4 near(protrusions or dimples or recess) capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:00
S287	39	electrolytic$4 near(protrusions or dimples or recess) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:00
S288	451	electrolytic$4 form (protrusions or dimples or recess) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:01
S289	0	electrolytic$4 form (protrusions or dimples or recess) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/12 20:01
S290	0	(dipping or immersing) room temperature (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/12 20:02
S291	21	(dipping or immersing) (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/12 20:04
S292	0	electrolytic same (dipping or immersing) (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/12/12 20:04
S293	3	electrolytic same (dipping or immersing) (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:05
S294	4	voltage same (dipping or immersing) (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:06

S29 5	0	volts same (dipping or immersing) (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:06
S29 6	0	v same (dipping or immersing) (protrusions or dimples or recess) and capacitor and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/12/12 20:09